

Submittal Data Sheet



Part #	Description
See Below	NP Manifold Uni-bloc Fittings

Project Information

Job Name:

Location:

Date Submitted:

Engineer:

Submitted by:

Contractor:

Approved by:

Manufacturer's Representative:

Application

Attaching PEX/PE-RT tubing to Roth NP Manifolds

Product Information

This unique patented single-piece design integrates the traditional 3-piece assembly into one easy to use fitting. Through its inspection ports the installer is able to ensure that the pipe is fully seated.

Technical Information

Image key:

- | | |
|--------------------------------|-------------------|
| 1. Plated brass nut | - EN 12165 CW617N |
| 2. O-ring seals | - EPDM |
| 3. Brass tubing barbed adaptor | - EN 12164 CW614N |
| 4. Brass split ring | - EN 12164 CW614N |

Manifold connection - M24 x 19


Maximum Pressure - 230psi (16 bar)

Maximum operating pressure * - 145psi (10 bar)

Maximum operating temperature* - 230°F (110°C)

* - Same as manifold

Size (in.)	Torque Rating (ft. lb.)
3/8	22 - 25.5
1/2	22 - 25.5
5/8	25.5 - 29.5
3/4	29.5 - 33



Part Numbers

	Part Number	Description
<input type="checkbox"/>	2315031016	NP Manifold Uni-bloc Fittings 3/8"
<input type="checkbox"/>	2315031017	NP Manifold Uni-bloc Fittings 1/2"
<input type="checkbox"/>	2315031018	NP Manifold Uni-bloc Fittings 5/8"
<input type="checkbox"/>	2315031019	NP Manifold Uni-bloc Fittings 3/4"

Contact Information

Roth Industries, Inc. 268 Bellew Ave. S. Watertown, NY 13601

Telephone: US (888) 266-7684 Canada (800) 969-7684 Fax: US & Canada (866) 462-2914

www.roth-america.com